Wellhead Platform

Room size is length 28m, width 28m, height 5.5m
1.Platform internal pendant mounting uses 50 sets of EX-KGFB30.
2.Pipe clamp uses 9 sets of EX-KGFF30.
3.Jacket area wall mounting uses 4 sets of EX-KGFB60.

Partner for Contact:
Order No.:
Company:
Customer No.:

Date: 07.05.2012
Operator: Anne

Shenzhen KHJ Semiconductor lighting Co.,ltd

4-5 Floor,Building 7, HuangBeiLingJingXuan Industrial Park,No.2 Dong Huan Rd,Yousong,Longhua Town,Bao'an District,Shenzhen China.


Operator Anne
Telephone 86-755-33953505
Fax 86-755-28030133
e-Mail anne@khj.cn

Wellhead Platform / Luminaire parts list

50 Pieces

SHENZHEN KHJ SEMICONDUCTOR LIGHTING CO., LTD EX-KGFB30CH
Article No.:
Luminous flux (Luminaire): 1743 lm
Luminous flux (Lamps): 2120 lm
Luminaire Wattage: 28.0 W
Luminaire classification according to CIE: 100
CIE flux code: 89 96 99 100 82
Fitting: 1 x OSRAM LUW CQ7P-LPLR-5C8E-1 30W/220V (Correction Factor 1.000).


See our luminaire catalog for an image of the luminaire.



4 Pieces

SHENZHEN KHJ SEMICONDUCTOR LIGHTING CO., LTD EX-KGFB60CH-V0-2012-12-29
Article No.:
Luminous flux (Luminaire): 2943 lm
Luminous flux (Lamps): 2925 lm
Luminaire Wattage: 51.2 W
Luminaire classification according to CIE: 100
CIE flux code: 91 96 99 100 100
Fitting: 1 x OSRAM LUW CQ7P-LPLR-5C8E-1 51.24W/220V (Correction Factor 1.000).


See our luminaire catalog for an image of the luminaire.



9 Pieces

SHENZHEN KHJ SEMICONDUCTOR LIGHTING CO., LTD EX-KGFF60CH
Article No.:
Luminous flux (Luminaire): 3038 lm
Luminous flux (Lamps): 3293 lm
Luminaire Wattage: 65.2 W
Luminaire classification according to CIE: 100
CIE flux code: 22 47 75 100 93
Fitting: 1 x OSRAM LUW CQDP-LPLR-5C8E-1 60W/127V (Correction Factor 1.000).

See our luminaire catalog for an image of the luminaire.




Shenzhen KHJ Semiconductor lighting Co.,ltd

4-5 Floor,Building 7, HuangBeiLingJingXuan Industrial Park,No.2 Dong Huan Rd,Yousong,Longhua Town,Bao'an District,Shenzhen China.

Operator Anne
Telephone 86-755-33953505
Fax 86-755-28030133
e-Mail anne@khj.cn

Wellhead Platform / Luminaires (layout plan)



Scale 1 : 1931

Luminaire Parts List

No.	Pieces	Designation
1	50	SHENZHEN KHJ SEMICONDUCTOR LIGHTING CO., LTD EX-KGFB30CH
2	4	SHENZHEN KHJ SEMICONDUCTOR LIGHTING CO., LTD EX-KGFB60CH-V0-2012-12-29
3	9	SHENZHEN KHJ SEMICONDUCTOR LIGHTING CO., LTD EX-KGFF60CH

Shenzhen KHJ Semiconductor lighting Co.,ltd

4-5 Floor,Building 7, HuangBeiLingJingXuan Industrial Park,No.2 Dong Huan Rd,Yousong,Longhua Town,Bao'an District,Shenzhen China.

Operator Anne
Telephone 86-755-33953505
Fax 86-755-28030133
e-Mail anne@khj.cn

Wellhead Platform / Floor/ Value Chart (E)

33	45	51	68	85	75	55	47	46	48	50	67	86	77	57	42
41	59	58	70	77	72	65	55	58	59	55	73	78	70	69	48
46	62	58	63	67	64	61	54	58	59	53	69	69	62	72	52
52	62	57	49	57	56	49	51	53	49	52	57	52	57	64	61
65	76	60	35	60	59	41	54	60	41	50	63	34	51	75	72
86	75	61	31	6.82	54	48	52	55	50	50	55	7.62	52	73	85
85	78	62	58	53	56	58	54	60	59	51	60	56	57	76	82
66	72	60	57	56	56	58	54	60	60	51	62	59	56	75	68
47	59	55	47	51	51	46	51	52	49	50	53	49	52	58	15
35	62	57	40	58	58	41	55	60	42	50	61	43	48	64	36
38	56	55	49	55	56	49	53	57	51	52	58	52	52	59	41
39	58	55	57	57	56	58	54	60	59	52	61	58	52	61	42
39	59	55	56	58	57	58	54	61	60	52	64	59	52	65	43
33	53	52	48	52	52	48	51	53	50	51	55	52	52	55	45
33	60	56	40	57	57	40	54	58	42	52	60	45	50	61	44
45	60	57	50	55	55	48	53	56	50	51	58	53	54	62	53
59	69	59	59	57	56	58	54	59	59	52	61	60	56	68	63
78	78	62	59	60	58	60	56	62	61	53	66	62	58	79	79
88	73	60	52	55	54	51	53	54	51	52	57	56	58	71	88
72	76	62	43	60	59	42	55	58	43	52	61	49	56	75	79
58	68	59	52	59	60	51	54	57	50	52	61	57	60	71	69
48	61	59	62	64	64	64	56	58	57	53	65	68	64	71	56
41	59	51	63	72	72	69	57	59	57	47	70	74	69	79	51
32	44	42	40	73	78	63	51	47	44	42	44	74	78	69	47
19	35	31	11	39	38	26	34	35	22	31	33	7.53	36	41	22

28.00 m

0.00


0.00

28.00 m

Values in Lux, Scale 1 : 219

Not all calculated values could be displayed.

Position of surface in external scene:
Marked point:
(0.000 m, 0.000 m, 12.650 m)



Grid: 128 x 128 Points


E_{av} [lx]	E_{min} [lx]	E_{max} [lx]	u0	E_{min} / E_{max}
55	2.83	92	0.051	0.031

Shenzhen KHJ Semiconductor lighting Co.,ltd

4-5 Floor,Building 7, HuangBeiLingJingXuan Industrial Park,No.2 Dong Huan Rd,Yousong,Longhua Town,Bao'an District,Shenzhen China.


Operator Anne
Telephone 86-755-33953505
Fax 86-755-28030133
e-Mail anne@khj.cn

Wellhead Platform / Floor / Isolines (E)



Values in Lux, Scale 1 : 219

Position of surface in external scene:
Marked point:
(0.000 m, 0.000 m, 12.650 m)



Grid: 128 x 128 Points

E_{av} [lx]	E_{min} [lx]	E_{max} [lx]	u0	E_{min} / E_{max}
55	2.83	92	0.051	0.031